# SAFETY DATA SHEET



# 1. Identification

Product identifier Other means of identification	Action Pave Acrylic Resurfacer with Sand, Neutral with Sand None.	
Recommended use	Texture building base coat; Filler coat for athletic surfaces	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer:	Crafco, Inc.	
Address:	6165 West Detroit St.	
	Chandler, AZ 85226 USA	
Contact Name:	Crafco Materials Engineering	
Telephone:	602-276-0406	
E-mail:	sales@crafco.com	
CHEMTREC:	800-424-9300 (North America)	
	+ 1-703-527-3887 (International)	

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	50 - 60
KAOLIN		1332-58-7	1 - 5
MICA		12001-26-2	1 - 5
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY		64742-65-0	0.1 - 1.0

PARAFFINIC

Components not listed are below the required disclosure threshold per OSHA 29 CFR 1910.1200.

# 4. First-aid measures

**Composition comments** 

# Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact	If clothing sticks to the skin, do not remove. Lotion or hand cream may aid in the removal of asphalt. Wash contact areas with soap and water. If needed, seek medical attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Foam. Dry chemical powder. Carbon dioxide (CO2).	
Water. Do not use water jet as an extinguisher, as this will spread the fire.	
During fire, gases hazardous to health may be formed.	
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.	
ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray.	
In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.	

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
containing up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.
Conditions for safe storage,	Do not allow material to freeze.

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
KAOLIN (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 Cl	-		<b>F</b>
Components	Туре	Value	Form
KAOLIN (CAS 1332-58-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
MICA (CAS 12001-26-2)	TWA	20 mppcf	
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
KAOLIN (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
MICA (CAS 12001-26-2)	TWA	3 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
KAOLIN (CAS 1332-58-7)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
MICA (CAS 12001-26-2)	TWA	3 mg/m3	Respirable.
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ogical limit values ropriate engineering trols	No biological exposure limits noted for Provide adequate ventilation, includin occupational exposure limit is not ex	ng appropriate local extraction, t	o ensure that the defined
ividual protection measure Eye/face protection	s, such as personal protective equilibrium wear safety glasses; chemical goggle	-	
Skin protection			
Hand protection	Chemical resistant gloves are recomi gloves.	nended. If contact with forearm	s is likely wear gauntlet st
Other	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact. Plastic or rubber gloves, apron and boots.		

Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance			
Physical state	Liquid.		
Form	Liquid.		
Color	Not available.		
Odor	Not available.		
Odor threshold	Not available.		
рН	Not available.		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Flash point	Not available.		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or explosive limits			
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport	
Chemical stability	Stable under normal temperature conditions.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide.	

# **11.** Toxicological information

# Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact	No adverse effects due to skin contact are expected.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.
ymptoms related to the	Direct contact with eyes may cause temporary irritation.

# Symptoms related to the physical, chemical and toxicological characteristics

#### Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
KAOLIN (CAS 1332-58-7)			
Acute			
Dermal			
LD50	Rat	> 5000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
* Estimates for product may b	e based on additional compo	nent data not shown.	
Skin corrosion/irritation	Prolonged skin contact may	v cause temporary irritation.	
Serious eye damage/eye irritation	May be irritating to eyes.		
Respiratory or skin sensitization	on		
<b>Respiratory sensitization</b>	Not available.		
Skin sensitization	May cause skin disorders if	contact is repeated or prolonged.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulatec form the normal routes of exposure are unavailable.		
IARC Monographs. Overall	Evaluation of Carcinogen	icity	
QUARTZ (CAS 14808-60-	7)	1 Carcinogenic to humans.	
OSHA Specifically Regulate	ed Substances (29 CFR 19	10.1001-1052)	
QUARTZ (CAS 14808-60-	2	Cancer	
US. National Toxicology Pr		_	
QUARTZ (CAS 14808-60-2	,	Known To Be Human Carcinogen.	
Reproductive toxicity	Not classified.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not available.		
Chronic effects	Prolonged exposure may cause chronic effects.		
Further information	This product has no known	adverse effect on human health.	
12. Ecological information	n		
Ecotoxicity	Not expected to be harmful to aquatic organisms.		
Persistence and degradability	No data is available on the degradability of this product.		

Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Bioaccumulative potential

Disposal	instructions
----------	--------------

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes. Disposal recommendations are based on uncontaminated material.

No data available.

Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

All components are on the U.S. EPA TSCA Inventory List.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

#### US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting) Not regulated.

#### **Other federal regulations**

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

OUARTZ (CAS 14808-60-7)

#### **US state regulations**

#### **California Proposition 65**



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	04-20-2021
Version #	01
Further information	HMIS® is a registered trade and service mark of the NPCA.
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Physical & Chemical Properties: Multiple Properties HazReg Data: North America GHS: Classification